



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

3D METRISOFT, S.A. de C.V.

***Av. Hércules #400 Nave: 14 Polígono Empresarial Santa Rosa Jáuregui
Querétaro, Querétaro, México C.P. 76220***

*(Hereinafter called the Organization) and hereby declares that Organization is accredited
in accordance with the recognized International Standard:*

ISO/IEC 17025:2005

This accreditation demonstrates technical competence for a defined scope and the
operation of a laboratory quality management system
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Dimensional Inspection (As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

September 26, 2016

Issue Date:

October 02, 2018

Expiration Date:

December 31, 2020

Accreditation No.:

89786

Certificate No.:

L18-455

*The validity of this certificate is maintained through ongoing assessments based on a
continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjllabs.com*



Certificate of Accreditation: Supplement

3D METRISOFT, S.A. de C.V.

Av. Hércules #400 Nave: 14 Polígono Empresarial Santa Rosa Jáuregui
Querétaro, Querétaro, México CP 76220
Contact Name: Manuel Martínez Ortiz Phone: 442-341-36-26

Accreditation is granted to the facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|--------------------------------------|---|---|--|--|
| Dimensional Inspection ^F | Dimensional Artifacts 3-Axis Volumetric and Linear Displacement | Measurement of Parts Geometrically Dimensioned and Tolerance (GD&T) | ASME Y14.5 | CMM X= 1 500 mm Y= 1 000 mm Z= 800 mm (Res.= 1 μm) |
| Dimensional Inspection ^{FO} | | | | Vision System X= 315 mm Y= 315 mm Z= 160 mm (Res.= 1 μm) |

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.
2. The presence of a superscript FO means that the laboratory performs testing of the indicated parameter both at its fixed location and onsite at customer locations. Example: Outside Micrometer^{FO} would mean that the laboratory performs this testing at its fixed location and onsite at customer locations.